

# REWASIL 7 Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 30/08/2016 Revision date: 29/01/2015 Supersedes: 15/09/2014 Version: 3.0

	entification of the sub	stance/mixture	and of the c	ompany/undertakir	ng	
1.1. Product i	dentifier					
Product form		: Mixture				
Product name		: REWASIL 7				
Type of product		: Solvent-based di	spersion / solutio	on.		
.2. Relevant	identified uses of the subs	stance or mixture an	d uses advised	against		
.2.1. Relevant	identified uses					
ndustrial/Profession	al use spec	: Industrial For professional	use only			
1.2.2. Uses adv	ised against					
No additional inform	ation available					
I.3. Details of	the supplier of the safety	data sheet				
Rewah Nijverheidsweg 24 3-2240 Zandhoven ·						
Γ +32 (0)3 4751414 nfo@rewah.com	- F +32 (0)3 4751094					
	cy telephone number					
Emergency number		: +32 (0)70 245 24	5			
Country	Organisation/Company	Address		Emergency number	r Comment	
Belgium	Centre Anti-	Rue Bruyn 1 1120 Bruxelles/Bru	المعوا	+32 70 245 245		
	Poisons/Antigifcentrum c/o Hôpital Central de la Base - Rei		13301			
	Astrid					
ECTION 2: Ha	zards identification					
.1. Classifica	ation of the substance or n	nixture				
lassification acco	ording to Regulation (EC) N					
lam. Liq. 3	H2	226				
Flam. Liq. 3 STOT SE 3	H2 H3	226 336				
Flam. Liq. 3 STOT SE 3 STOT RE 1	H2 H3 H3	226 336 372				
ilam. Liq. 3 STOT SE 3 STOT RE 1 Isp. Tox. 1	H2 H3 H3	226 336 372 304				
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1	H2 H3 H3	226 336 372				
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2	H2 H3 H3	226 336 372 304 411				
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl	H2 H3 H3 H4 H4 H4 Iasses and H-statements : se	226 336 372 304 411 ee section 16	cts			
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl	H2 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16	cts			
lam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch lo additional inform	H2 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16	cts			
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler	H2 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 I environmental effe	cts			
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 I environmental effe	cts			
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 I environmental effe	cts			
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling according	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 I environmental effe	cts		3	
Tam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler abelling according	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 I environmental effe	cts		3	
Tam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch to additional inform 2. Label eler abelling according	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 I environmental effe	cts		2	
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms (	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 <b>I environmental effe</b> 272/2008 [CLP] : : GHS02	cts	GHS08	3	
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms (	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H5 H4 H4 H5 H4 H5 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 I environmental effe 272/2008 [CLP] : GHS02 : Danger	GHS07			
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms ( Signal word (CLP)	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H5 H4 H4 H5 H4 H5 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 <b>I environmental effe</b> <b>272/2008 [CLP]</b> : GHS02 : Danger : Hydrocarbons, C	GHS07 9-C12, n-Alkane	s, Isoalkanes, Cyclics, Ai	2 19 romatics (5-25%) / Naphth	а
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms ( Signal word (CLP) Hazardous ingredier	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H5 H4 H5 H4 H5 H4 H5 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6	226 336 372 304 411 ee section 16 I environmental effe 272/2008 [CLP] : GHS02 : Danger : Hydrocarbons, C (petroleum), hydr	GHS07 9-C12, n-Alkane odesulfurized he	s, Isoalkanes, Cyclics, Ar eavy (benzene< 0,1 %)		Ia
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H5 H4 H5 H4 H5 H4 H5 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6	226 336 372 304 411 ee section 16 <b>I environmental effe</b> <b>272/2008 [CLP]</b> : GHS02 : Danger : Hydrocarbons, C (petroleum), hydr : H226 - Flammab	GHS07 9-C12, n-Alkane odesulfurized he le liquid and vap	s, Isoalkanes, Cyclics, Ai avy (benzene< 0,1 %) our.		ıa
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms ( Signal word (CLP) Hazardous ingredier	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H5 H4 H5 H4 H5 H4 H5 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6	226 336 372 304 411 ee section 16 <b>I environmental effe</b> <b>272/2008 [CLP]</b> : GHS02 : Danger : Hydrocarbons, C (petroleum), hydr : H226 - Flammab H304 - May be fa	GHS07 9-C12, n-Alkane odesulfurized he le liquid and vap tal if swallowed	s, Isoalkanes, Cyclics, Ai avy (benzene< 0,1 %) our. and enters airways.		a
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms ( Signal word (CLP) Hazardous ingredier	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H5 H4 H5 H4 H5 H4 H5 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6	226 336 372 304 411 ee section 16 <b>I environmental effe</b> <b>272/2008 [CLP]</b> : GHS02 : Danger : Hydrocarbons, C (petroleum), hydr : H226 - Flammab H304 - May be fa H336 - May caus	GHS07 9-C12, n-Alkane odesulfurized he le liquid and vap tal if swallowed e drowsiness or	s, Isoalkanes, Cyclics, Ai eavy (benzene< 0,1 %) our. and enters airways. dizziness.		
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms ( Signal word (CLP) Hazardous ingredier	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H5 H4 H5 H4 H5 H4 H5 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6 H6	226 336 372 304 411 ee section 16 <b>I environmental effe</b> <b>272/2008 [CLP]</b> : <i>GHS02</i> : Danger : Hydrocarbons, C (petroleum), hydr : H226 - Flammab H304 - May be fa H336 - May caus H372 - Causes d exposure.	GHS07 GHS07 9-C12, n-Alkane rodesulfurized he le liquid and vap tal if swallowed e drowsiness or amage to organs	s, Isoalkanes, Cyclics, Ai eavy (benzene< 0,1 %) our. and enters airways. dizziness. s (central nervous system	romatics (5-25%) / Naphth	
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms ( Signal word (CLP) Hazardous ingredier Hazard statements (	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 <b>I environmental effe</b> <b>272/2008 [CLP]</b> : <i>GHS02</i> : Danger : Hydrocarbons, C (petroleum), hydri : H226 - Flammab H304 - May be fa H336 - May caus H372 - Causes d exposure. H411 - Toxic to a	9-C12, n-Alkane odesulfurized he le liquid and vap tal if swallowed e drowsiness or amage to organs	s, Isoalkanes, Cyclics, Ar eavy (benzene< 0,1 %) our. and enters airways. dizziness. s (central nervous system ong lasting effects.	romatics (5-25%) / Naphth 1) through prolonged or re	peated
Flam. Liq. 3 STOT SE 3 STOT RE 1 Asp. Tox. 1 Aquatic Chronic 2 Full text of hazard cl Adverse physicoch No additional inform 2.2. Label eler Labelling accordin Hazard pictograms ( Signal word (CLP) Hazardous ingredier	H2 H3 H3 H3 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4 H4	226 336 372 304 411 ee section 16 <b>I environmental effe</b> <b>272/2008 [CLP]</b> : <i>GHS02</i> : Danger : Hydrocarbons, C (petroleum), hydri : H226 - Flammab H304 - May be fa H336 - May caus H372 - Causes d exposure. H411 - Toxic to a	GHS07 GHS07 9-C12, n-Alkane odesulfurized he le liquid and vap ital if swallowed e drowsiness or amage to organs quatic life with lo by from heat, hot	s, Isoalkanes, Cyclics, A eavy (benzene< 0,1 %) our. and enters airways. dizziness. s (central nervous system ong lasting effects. surfaces, sparks, open fl	romatics (5-25%) / Naphth	peated

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical equipment.
	P260 - Do not breathe vapours. P264 - Wash hands thoroughly after handling.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-Alkanes, Isoalkanes, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene< 0,1 %)	(EC-No.) 919-446-0 (REACH-no) 01-2119458049-33	>= 25	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	<ul> <li>Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.</li> </ul>
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: Causes damage to organs through prolonged or repeated exposure. Symptoms may include dizziness, headache, nausea and loss of co-ordination.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate medic	al attention and special treatment needed
On ingestion : . May result in aspiration into the	lungs, causing chemical pneumonia.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: Flammable liquid and vapour. Flammable liquid. and on exposure to temperature rise: pressure rise and possible bursting of container.
5.3. Advice for firefighters	
Precautionary measures fire	: Avoid (reject) fire-fighting water to enter environment. Use water spray or fog for cooling exposed containers. All fire-fighting personnel must wear safety suits.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
	guipment and emergency procedures
General measures	<ul> <li>Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.</li> </ul>

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.1.	For non-emergency personnel	
Protectiv	e equipment	: Wear suitable protective clothing, gloves and eye/face protection.
6.1.2. Emerger	For emergency responders acy procedures	: Flammable liquid (flash-point between 23 °C and 60 °C, inclusive).
6.2.	Environmental precautions	

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Restrict liquid from spreading over surface with floating screens if possible.

law.

6.3.	Methods and material for	containment and cleaning up
Method	s for cleaning up	Clean up any spills as soon as possible, using an absorbent material to collect it. Waste to eliminate according to chemical waste law.

#### 6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

SECTI	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Addition	al hazards when processed	:	Handle empty containers with care because residual vapours are flammable.
Precauti	ons for safe handling	:	No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing fume, gas, mist, spray, vapours. Use only outdoors or in a well-ventilated area. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures		:	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
7.2.	Conditions for safe storage, includir	ng	any incompatibilities
Technica	al measures	:	Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage	conditions	:	Keep container tightly closed. Handling and storage. National regulations.
7.3.	Specific end use(s)		

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1.

Hydrocarbons, C9-C 0,1 %)	12, n-Alkanes, Isoalkanes, Cyclics, Aromat	ics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene<
Belgium	Limit value (mg/m <sup>3</sup> )	533
Belgium	Limit value (ppm)	100 ppm

Hydrocarbons, C9-C12, n-Alkanes, Isoalkanes, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene< 0,1 %)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	44 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation 330 mg/m <sup>3</sup>		
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	26 mg/kg bodyweight/day	
Long-term - systemic effects, dermal	26 mg/kg bodyweight/day	
Long-term - local effects, inhalation 71 mg/m <sup>3</sup>		

Exposure controls 8.2.

#### Hand protection:

Wear suitable gloves resistant to chemical penetration.

### Eye protection:

Where contact with eyes or skin is likely, wear suitable protection.

#### Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Avoid contact with skin.

#### **Respiratory protection:**

Ensure exposure is below occupational exposure limits (where available). Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Half mask with gas filter Type A filter material. CEN standards EN 136, 140 and 405 provide breathing masks and EN 149 and 143 provide recommendations to use filters.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Environmental exposure controls:

Product may not flow into sewer or superficial water.

### Other information:

Do not eat, drink or smoke during use.

Do not eat, drink or smoke during use.		
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and		
Physical state	: Liquid	
Colour	Colourless.	
Odour	: Characteristic.	
Odour threshold	: No data available	
pH	: Not applicable.	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 135 - 220 °C	
Flash point	: > 30 °C	
Auto-ignition temperature	: >200 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: <2.7 kPa	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: Material nearly insoluble in water.	
Log Pow	: No data available	
Viscosity, kinematic	: ≈ 2.5 cSt	
Viscosity, dynamic	: No data available	
Explosive properties	: Not applicable.	
Oxidising properties	: Not applicable.	
Lower explosive limit (LEL)	: 0.6 vol %	
Upper explosive limit (UEL)	: 7 vol %	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity	y	
10.1. Reactivity		
Not applicable.		
10.2. Chemical stability		
,	able/explosive vapour-air mixture. Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Refer to section 10.1 on Reactivity.		
10.4. Conditions to avoid		
Open flame. Overheating. Direct sunlight. Heat smoking.	. Sparks. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No	
10.5. Incompatible materials		
strong oxidising compounds.		
10.6. Hazardous decomposition product	ts	
May release flammable gases. Stable under no	ormal conditions.	
SECTION 11: Toxicological informa	ition	
11.1. Information on toxicological effect		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation	: Not classified
	pH: Not applicable.
Serious eye damage/irritation	: Not classified
	pH: Not applicable.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Causes damage to organs (central nervous system) through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
REWASIL 7	
Viscosity, kinematic	≈ 2.5 mm²/s
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: Insoluble in water.		
Ecology - water	: Toxic to aquatic life with long lasting effects.		
Hazardous to the aquatic environment, short- term (acute)	: Not classified		
Hazardous to the aquatic environment, long- term (chronic)	: Toxic to aquatic life with long lasting effects.		

12.2. Persistence and degradability				
REWASIL 7				
Persistence and degradability	May cause long-term adverse effects in the environment. Readily biodegradable.			
12.3. Bioaccumulative potential				
REWASIL 7				
Bioaccumulative potential	Not determined.			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Other adverse effects				
Additional information	: Avoid release to the environment.			
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Forbidden through garbage can or sewerage, follow the next guidelines: 75/442/EG & 91/689/EG.			
Additional information	: Handle empty containers with care because residual vapours are flammable.			
Ecology - waste materials	: Hazardous waste due to toxicity. Avoid release to the environment.			

#### **SECTION 14: Transport information** In accordance with ADR / IMDG / IATA ΙΑΤΑ ADR IMDG 14.1. UN number 1300 1300 1300 14.2. UN proper shipping name TURPENTINE SUBSTITUTE TURPENTINE SUBSTITUTE Turpentine substitute Transport document description UN 1300 TURPENTINE SUBSTITUTE **UN 1300 TURPENTINE SUBSTITUTE** UN 1300 Turpentine substitute, 3, III, (MIXTURE), 3, III, MARINE POLLUTANT/ENVIRONMENTALLY (MIXTURE), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS 5/7

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	
ENVIRONMENTALLY HAZARDOUS	HAZARDOUS		
14.3. Transport hazard class(es)			
3	3	3	
14.4. Packing group			
111	111	III	
14.5. Environmental hazards			
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	
No supplementary information available			

R001

### 14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01,
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T2
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	<b>30</b> <b>1300</b>
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
- Transport by sea	
Special provisions (IMDG)	: 223
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E

EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Properties and observations (IMDG) MFAG-No

### - Air transport

17/03/2020

Transport regulations (IATA)	
PCA Excepted quantities (IATA)	
PCA Limited quantities (IATA)	

: Not applicable.

: Immiscible with water.

: A

: 128

: E1 : Y344

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

### Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

#### Other information

: None.

### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 3	H226	Annex VII conversion
STOT SE 3	H336	Calculation method
STOT RE 1	H372	Calculation method
Asp. Tox. 1	H304	Annex VII conversion
Aquatic Chronic 2	H411	Calculation method

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.