

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 28/02/2022 Revision date: 28/11/2022 Supersedes version of: 10/02/2022 Version: 1.4

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	: Mixture
Product name	: INDUSIL SRM
UFI	: RDF0-HAFK-Q003-AAMQ
Type of product	: Solvent-based dispersion / solution.
Type of product	: Solvent-based dispersion / solution.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

## 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Rewah Nijverheidsweg 24 B-2240 Zandhoven Belgique-België T +32 (0)3 4751414 - F +32 (0)3 4751094 info@rewah.com

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+ 32 (0)70 245 245	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Flam. Liq. 3	H226
STOT SE 3	H336
STOT RE 1	H372
Asp. Tox. 1	H304
Aquatic Chronic 2	H411
Full text of hazard classes, H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains	<ul> <li>Hydrocarbons, C9-C12, n-Alkanes, Isoalkanes, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene&lt; 0,1 %)</li> </ul>
Hazard statements (CLP)	: H226 - Flammable liquid and vapour.
	H304 - May be fatal if swallowed and enters airways.
	H336 - May cause drowsiness or dizziness.
	H372 - Causes damage to organs (central nervous system) through prolonged or repeated exposure.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> </ul>
	P260 - Do not breathe vapours, spray, fume.
	P271 - Use only outdoors or in a well-ventilated area.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P501 - Dispose of contents/container to Collection point.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

No additional information available

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-Alkanes, Isoalkanes, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene< 0,1 %)	CAS-No.: 64742-82-1 EC-No.: 919-446-0 REACH-no: 01-2119458049- 33	≥ 25	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Take off immediately all contaminated clothing. Rinse skin with water/shower. Repeated exposure may cause skin dryness or cracking.</li> <li>Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness</li> </ul>	
First-aid measures after ingestion	<ul> <li>persists.</li> <li>Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Obtain emergency medical attention.</li> </ul>	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after ingestion	<ul> <li>Symptoms may include dizziness, headache, nausea and loss of co-ordination.</li> <li>May cause drowsiness or dizziness.</li> <li>May be fatal if swallowed and enters airways.</li> </ul>	
4.3. Indication of any immediate medical attention and special treatment needed		

On ingestion : . May result in aspiration into the lungs, causing chemical pneumonia.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Hazardous decomposition products in case of fire	<ul> <li>Flammable liquid and vapour.</li> <li>Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other toxic gases.</li> </ul>	
5.3. Advice for firefighters		
Precautionary measures fire	: Avoid (reject) fire-fighting water to enter environment. Use water spray or fog for cooling exposed containers. All fire-fighting personnel must wear safety suits.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection.	
6.1.2. For emergency responders		
Emergency procedures	: Flammable liquid (flash-point between 23 °C and 60 °C, inclusive).	
6.2. Environmental precautions		

Avoid release to the environment. Restrict liquid from spreading over surface with floating screens if possible. In case of loss of large quantities, advice local authorities.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Waste to eliminate according to chemical waste law.	

## 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling Hygiene measures	<ul> <li>Handle empty containers with care because residual vapours are flammable.</li> <li>No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing fume, gas, mist, spray, vapours. Use only outdoors or in a well-ventilated area. Provide good ventilation in process area to prevent formation of vapour.</li> <li>Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.</li> </ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	<ul> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.</li> </ul>	
Storage conditions	: Keep container tightly closed. Handling and storage. National regulations.	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Hydrocarbons, C9-C12, n-Alkanes, Isoalkanes, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene< 0,1 %) (64742-82-1)

Belgium - Occupational Exposure Limits	
OEL TWA	533
OEL TWA [ppm]	100 ppm

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Hydrocarbons, C9-C12, n-Alkanes, Isoalkanes, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene< 0,1 %) (64742-82-1)

#### **DNEL/DMEL (Workers)**

Long-term - systemic effects, dermal	44 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	330 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	26 mg/kg bodyweight/day	
Long-term - systemic effects, dermal	26 mg/kg bodyweight/day	
Long-term - local effects, inhalation	71 mg/m³	

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good ventilation of the workplace required. Use spark-/explosionproof appliances and lighting system.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses

28/11/2022 (Revision date)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Avoid contact with skin. If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Antistatic clothing

#### Hand protection:

Wear protective gloves. Recommendation. Use nitrile gloves. Permeation. 6 (> 480 minutes). Layer thickness : > 0.38 mm. Replace gloves in time: no glovematerial is unlimited protecting to chemicals or a combination of chemicals.

#### Other skin protection

#### Materials for protective clothing:

Antistatic clothing. Prolonged or repeated contact may cause skin to become dry or cracked

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Half mask with gas filter Type A filter material. CEN standards EN 136, 140 and 405 provide breathing masks and EN 149 and 143 provide recommendations to use filters.

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not flush into surface water or sewer system.

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Characteristic.
Odour threshold	: No data available
рН	: Not applicable.
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 135 – 220 °C
Flash point	: > 30 °C
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: <2,7 kPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Material nearly insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: ≈ 2,5 mm²/s
Viscosity, dynamic	: No data available
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Lower explosive limit (LEL)	: 0,6 vol %
Upper explosive limit (UEL)	: 7 vol %

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Not applicable.

**10.2. Chemical stability** 

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

**10.4. Conditions to avoid** 

Open flame. Overheating. Direct sunlight. Heat. Sparks. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

strong oxidising compounds.

**10.6. Hazardous decomposition products** 

May release flammable gases. Stable under normal conditions.

SECTION 11: Toxicological information			
11.1 Information on toxicological effects			
Acute toxicity (oral) :	Not classified		
Acute toxicity (dermal) :	Not classified		
Acute toxicity (inhalation) :	Not classified		
Skin corrosion/irritation :	Not classified		
	pH: Not applicable.		
Serious eye damage/irritation :	Not classified		
	pH: Not applicable.		
Respiratory or skin sensitisation :	Not classified		
Germ cell mutagenicity :	Not classified		
Carcinogenicity :	Not classified		
Reproductive toxicity :	Not classified		
STOT-single exposure :	May cause drowsiness or dizziness.		
Hydrocarbons, C9-C12, n-Alkanes, Isoalkanes, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized heavy (benzene< 0,1 %) (64742-82-1)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure :	Causes damage to organs (central nervous system) through prolonged or repeated exposure.		
Hydrocarbons, C9-C12, n-Alkanes, Isoalkane heavy (benzene< 0,1 %) (64742-82-1)	s, Cyclics, Aromatics (5-25%) / Naphtha (petroleum), hydrodesulfurized		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard :	May be fatal if swallowed and enters airways.		
INDUSIL SRM			
Viscosity, kinematic	≈ 2,5 mm²/s		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general:Ecology - water:Hazardous to the aquatic environment, short-term:(acute):Hazardous to the aquatic environment, long-term:(chronic):	Insoluble in water. Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.			
12.2. Persistence and degradability				
INDUSIL SRM				
Persistence and degradability	May cause long-term adverse effects in the environment.			
12.3. Bioaccumulative potential				
INDUSIL SRM				
Bioaccumulative potential	Not determined.			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Other adverse effects				
Additional information :	Avoid release to the environment			

# SECTION 13: Disposal considerations 13.1. Waste treatment methods Product/Packaging disposal recommendations : Dispose of contents/container to Collection point. Forbidden through garbage can or sewerage, follow the next guidelines: 75/442/EG & 91/689/EG . Additional information : Handle empty containers with care because residual vapours are flammable. Ecology - waste materials : Hazardous waste due to toxicity. Avoid release to the environment.

: 07 04 04\* - other organic solvents, washing liquids and mother liquors

# SECTION 14: Transport information

#### In accordance with ADR / IMDG / IATA

European List of Waste (LoW) code

14.1 UN number	
UN-No. (ADR)	: UN 1300
UN-No. (IMDG)	: UN 1300
UN-No. (IATA)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: TURPENTINE SUBSTITUTE
Proper Shipping Name (IMDG)	: TURPENTINE SUBSTITUTE
Proper Shipping Name (IATA)	: Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878			
Transport document description (ADR)	: UN 1300 TURPENTINE SUBSTITUTE (MIXTURE), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS		
Transport document description (IMDG)	: UN 1300 TURPENTINE SUBSTITUTE (MIXTURE), 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS		
14.3. Transport hazard class(es)			
ADR			
Transport hazard class(es) (ADR)	: 3		
Danger labels (ADR)			
IMDG			
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 3 : 3		
ΙΑΤΑ			
Transport hazard class(es) (IATA)	: Not applicable		
14.4. Packing group			
Packing group (ADR)	: 111		
Packing group (IMDG)	: 111		
Packing group (IATA)	: Not applicable		
14.5. Environmental hazards			
Dangerous for the environment	: Yes		
Marine pollutant Other information	: Yes		
Other Information	: No supplementary information available		
14.6. Special precautions for user			
Overland transport			
Classification code (ADR) Limited quantities (ADR)	: F1 : 5l		
Excepted quantities (ADR)	: E1		
Packing instructions (ADR)	: P001, IBC03, LP01, R001		
Mixed packing provisions (ADR)	: MP19		
	: T2		
Portable tank and bulk container special provisions (ADR)	: TP1		
Tank code (ADR)	: LGBF		
Vehicle for tank carriage	: FL		
Transport category (ADR)	: 3		
Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation (ADR)	: V12 : S2		
Hazard identification number (Kemler No.)	: 30		
Orange plates	<b>30</b> <b>1300</b>		
<b>_</b>			
Tunnel restriction code (ADR) EAC code	: D/E : 3Y		
	. 51		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea	
Special provisions (IMDG)	: 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Immiscible with water.
MFAG-No	: 128

#### Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

#### Not applicable

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list: Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (EC 222-883-3, CAS 3648-18-8) Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Dioctyltin compounds (870-08-6)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Section	Changed item		Change	Comments
8.2				
		<ul> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</li> <li>None.</li> </ul>		

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 3	H226	Annex VII conversion
STOT SE 3	H336	Calculation method
STOT RE 1	H372	Calculation method
Asp. Tox. 1	H304	Annex VII conversion
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.