

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : MULTISOL EXTRA PLUS  
UFI : 6JEG-M7D2-94A0-9EF0  
Type of product : Solvent-based dispersion / solution.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : SU3 Industrial uses: Uses of substances as such or in preparations\* at industrial sites, SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen), SU19 Building and construction work  
Industrial/Professional use spec : For professional use only  
Function or use category : PROC7 Industrial spraying, PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities, PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities, PROC10 Roller application or brushing, PROC11 Non industrial spraying, ERC8c Wide dispersive indoor use resulting in inclusion into or onto a matrix, ERC8f Wide dispersive outdoor use resulting in inclusion into or onto a matrix

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Rewah  
Nijverheidsweg 24  
B-2240 Zandhoven  
Belgique-België  
T +32 (0)3 4751414 - F +32 (0)3 4751094  
[info@rewah.com](mailto:info@rewah.com)

### 1.4. Emergency telephone number

| Country | Organisation/Company  | Address                               | Emergency number   | Comment |
|---------|---|---------------------------------------|--------------------|---------|
| Belgium | Centre Anti-Poisons/Antigifcentrum<br>c/o Hôpital Central de la Base - Reine Astrid | Rue Bruyn 1<br>1120 Bruxelles/Brussel | + 32 (0)70 245 245 |         |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226  
Eye Irrit. 2 H319  
Asp. Tox. 1 H304  
Aquatic Chronic 2 H411

Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Contains

Hazard statements (CLP)

Precautionary statements (CLP)

EUH-statements

- : Danger
- : Hydrocarbon, C11-C12, iso-alkanes, < 2% aromates
- : H226 - Flammable liquid and vapour.
- : H304 - May be fatal if swallowed and enters airways.
- : H319 - Causes serious eye irritation.
- : H411 - Toxic to aquatic life with long lasting effects.
- : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- : P241 - Use explosion-proof electrical, ventilating equipment.
- : P273 - Avoid release to the environment.
- : P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water soap.
- : P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : P501 - Dispose of contents/container to a hazardous or special waste collection point.
- : EUH066 - Repeated exposure may cause skin dryness or cracking.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name   | Product identifier   | %      | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                 |
|--|--|--------|---|
| Hydrocarbon, C11-C12, iso-alkanes, < 2% aromates | CAS-No.: 90622-57-4<br>EC-No.: 918-167-1<br>REACH-no: 01-2119472146-39 | > 50   | Flam. Liq. 3, H226<br>Asp. Tox. 1, H304   |
| Aminen, C16-C18-alkyl, geëthoxyleerd, 5-25 EO    | CAS-No.: 61791-26-2  | 1 - 10 | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 1, H410 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

- : Remove person to fresh air and keep comfortable for breathing.
- : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after ingestion : Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Symptoms may include dizziness, headache, nausea and loss of co-ordination.  
Symptoms/effects after eye contact : May cause severe irritation.  
Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

May result in aspiration into the lungs, causing chemical pneumonia. Specific treatment is necessary.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Flammable liquid. and on exposure to temperature rise: pressure rise and possible bursting of container.

### 5.3. Advice for firefighters

Precautionary measures fire : Avoid (reject) fire-fighting water to enter environment. Use water spray or fog for cooling exposed containers. All fire-fighting personnel must wear safety suits.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.

#### 6.1.2. For emergency responders

Emergency procedures : Flammable liquids having a flash-point above 60 °C which are carried or handled over for carriage at or above their flash-point. Flammable liquid (flash-point between 23 °C and 60 °C, inclusive).

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Restrict liquid from spreading over surface with floating screens if possible.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Waste to eliminate according to chemical waste law.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Use only non-sparking tools.

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge.  
Storage conditions : Keep container tightly closed. Handling and storage. National regulations.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Local limit values may apply for aliphatic hydrocarbons : GESTIS-International Limit Values <http://limitvalue.ifa.dguv.de/>

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Good ventilation of the workplace required. Use spark-/explosionproof appliances and lighting system.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

##### Eye protection

| Type           | Field of application | Characteristics   | Standard |
|----------------|----------------------|-------------------|----------|
| Safety glasses | Droplet              | With side shields | EN 166   |

##### 8.2.2.2. Skin protection

##### Skin and body protection:

Avoid contact with skin. If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Antistatic clothing

##### Hand protection:

Wear protective gloves. Recommendation. Use nitrile gloves. Permeation. 6 (> 480 minutes). Layer thickness : > 0.38 mm. Replace gloves in time: no glove material is unlimited protecting to chemicals or a combination of chemicals.

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Hand protection   |                      |                   |                |             |                    |
|-------------------|----------------------|-------------------|----------------|-------------|--------------------|
| Type              | Material             | Permeation        | Thickness (mm) | Penetration | Standard           |
| Disposable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | > 0.038        |             | EN 420, EN ISO 374 |

### Other skin protection

#### Materials for protective clothing:

Antistatic clothing. Prolonged or repeated contact may cause skin to become dry or cracked

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Half mask with gas filter Type A filter material. CEN standards EN 136, 140 and 405 provide breathing masks and EN 149 and 143 provide recommendations to use filters.

| Respiratory protection |   |                                 |  |
|------------------------|---|---------------------------------|--|
| Device                 | Filter type   | Condition                       | Standard                               |
| Gas mask               | ABEK, ABEK-P3, Type AX - Low-boiling (<65 °C) organic compounds | Gas protection, Dust protection | EN 136, EN 140, EN 405, EN 149, EN 143 |

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not flush into surface water or sewer system.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                                |
|---|--------------------------------|
| Physical state                                  | : Liquid                       |
| Colour  | : Colourless.                  |
| Odour   | : Characteristic.              |
| Odour threshold                                 | : No data available            |
| pH  | : Not applicable.              |
| Relative evaporation rate (butylacetate=1)      | : No data available            |
| Melting point                                   | : No data available            |
| Freezing point                                  | : No data available            |
| Boiling point                                   | : 135 – 220 °C                 |
| Flash point                                     | : 30 °C                        |
| Auto-ignition temperature                       | : > 200 °C                     |
| Decomposition temperature                       | : No data available            |
| Flammability (solid, gas)                       | : No data available            |
| Vapour pressure                                 | : < 2,7 kPa                    |
| Relative vapour density at 20 °C                | : No data available            |
| Relative density                                | : No data available            |
| Solubility                                      | : Material insoluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available            |
| Viscosity, kinematic                            | : ≈ 2,5 mm²/s                  |
| Viscosity, dynamic                              | : ≈ 2 mPa.s                    |
| Explosive properties                            | : Not applicable.              |
| Oxidising properties                            | : Not applicable.              |
| Lower explosive limit (LEL)                     | : 0,6 vol %                    |
| Upper explosive limit (UEL)                     | : 7 vol %                      |

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Not applicable.

### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

strong oxidising compounds.

### 10.6. Hazardous decomposition products

May release flammable gases. Stable under normal conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|                                   |   |
|-----------------------------------|---|
| Acute toxicity (oral)             | : Not classified  |
| Acute toxicity (dermal)           | : Not classified  |
| Acute toxicity (inhalation)       | : Not classified  |
| Skin corrosion/irritation         | : Not classified<br>pH: Not applicable.                 |
| Serious eye damage/irritation     | : Causes serious eye irritation.<br>pH: Not applicable. |
| Respiratory or skin sensitisation | : Not classified  |
| Germ cell mutagenicity            | : Not classified  |
| Carcinogenicity                   | : Not classified  |
| Reproductive toxicity             | : Not classified  |
| STOT-single exposure              | : Not classified  |
| STOT-repeated exposure            | : Not classified  |
| Aspiration hazard                 | : May be fatal if swallowed and enters airways.         |

### MULTISOL EXTRA PLUS

|                      |             |
|----------------------|-------------|
| Viscosity, kinematic | ≈ 2,5 mm²/s |
|----------------------|-------------|

|   |  |
|---|--|
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met |
|---|--|

## SECTION 12: Ecological information

### 12.1. Toxicity

|  |                       |
|--|-----------------------|
| Ecology - general  | : Insoluble in water. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified      |

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

#### MULTISOL EXTRA PLUS

|                           |                 |
|---------------------------|-----------------|
| Bioaccumulative potential | Not determined. |
|---------------------------|-----------------|

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment. .

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                   |   |
|-----------------------------------|---|
| Additional information            | : Handle empty containers with care because residual vapours are flammable. |
| Ecology - waste materials         | : Hazardous waste due to toxicity. Avoid release to the environment.        |
| European List of Waste (LoW) code | : 07 04 04* - other organic solvents, washing liquids and mother liquors    |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR   | IMDG   | IATA  |
|---|--|---|
| <b>14.1. UN number</b>  |  |   |
| UN 3295   | UN 3295  | UN 3295   |
| <b>14.2. UN proper shipping name</b>  |  |   |
| HYDROCARBONS,<br>LIQUID, N.O.S.   | HYDROCARBONS,<br>LIQUID, N.O.S.  | Hydrocarbons, liquid, n.o.s.  |
| <b>Transport document description</b>   |  |   |
| UN 3295<br>HYDROCARBONS,<br>LIQUID, N.O.S.<br>(isoundecanes,<br>isododecanes), 3, III, (D/E),<br>ENVIRONMENTALLY<br>HAZARDOUS | UN 3295<br>HYDROCARBONS,<br>LIQUID, N.O.S., 3, III,<br>MARINE<br>POLLUTANT/ENVIRONME<br>NTALLY HAZARDOUS | UN 3295 Hydrocarbons, liquid, n.o.s. (isoundecanes, isododecanes), 3, III,<br>ENVIRONMENTALLY HAZARDOUS |
| <b>14.3. Transport hazard class(es)</b>   |  |   |
| 3   | 3  | 3   |
|   |  |   |

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| ADR                                    | IMDG  | IATA                               |
|--|---|------------------------------------|
| <b>14.4. Packing group</b>             |   |                                    |
| III                                    | III   | III                                |
| <b>14.5. Environmental hazards</b>     |   |                                    |
| Dangerous for the environment: Yes     | Dangerous for the environment: Yes<br>Marine pollutant: Yes | Dangerous for the environment: Yes |
| No supplementary information available |   |                                    |

### 14.6. Special precautions for user

#### Overland transport

|   |                           |
|---|---------------------------|
| Classification code (ADR)                                 | : F1                      |
| Limited quantities (ADR)                                  | : 5I                      |
| Excepted quantities (ADR)                                 | : E1                      |
| Packing instructions (ADR)                                | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR)                            | : MP19                    |
| Portable tank and bulk container instructions (ADR)       | : T4                      |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP29               |
| Tank code (ADR)   | : LGBF                    |
| Vehicle for tank carriage                                 | : FL                      |
| Transport category (ADR)                                  | : 3                       |
| Special provisions for carriage - Packages (ADR)          | : V12                     |
| Special provisions for carriage - Operation (ADR)         | : S2                      |
| Hazard identification number (Kemler No.)                 | : 30                      |
| Orange plates   | :                         |



|                               |       |
|-------------------------------|-------|
| Tunnel restriction code (ADR) | : D/E |
| EAC code                      | : 3Y  |

#### Transport by sea

|                                    |                          |
|------------------------------------|--------------------------|
| Special provisions (IMDG)          | : 223                    |
| Limited quantities (IMDG)          | : 5 L                    |
| Excepted quantities (IMDG)         | : E1                     |
| Packing instructions (IMDG)        | : P001, LP01             |
| IBC packing instructions (IMDG)    | : IBC03                  |
| Tank instructions (IMDG)           | : T4                     |
| Tank special provisions (IMDG)     | : TP1, TP29              |
| EmS-No. (Fire)                     | : F-E                    |
| EmS-No. (Spillage)                 | : S-D                    |
| Stowage category (IMDG)            | : A                      |
| Properties and observations (IMDG) | : Immiscible with water. |
| MFAG-No                            | : 128                    |

#### Air transport

|  |                   |
|--|-------------------|
| Transport regulations (IATA)                 | : Not applicable. |
| PCA Excepted quantities (IATA)               | : E1              |
| PCA Limited quantities (IATA)                | : Y344            |
| PCA limited quantity max net quantity (IATA) | : 10L             |
| PCA packing instructions (IATA)              | : 355             |
| PCA max net quantity (IATA)                  | : 60L             |
| CAO packing instructions (IATA)              | : 366             |
| CAO max net quantity (IATA)                  | : 220L            |
| Special provisions (IATA)                    | : A3, A224        |
| ERG code (IATA)                              | : 3L              |



# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes

| Section | Changed item | Change | Comments |
|---------|--------------|--------|----------|
| 8.2     |              |        |          |

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

### Full text of H- and EUH-statements:

|                     |   |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                 |
| Aquatic Chronic 1   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2   | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Asp. Tox. 1         | Aspiration hazard, Category 1                                     |
| EUH066              | Repeated exposure may cause skin dryness or cracking.             |
| Eye Dam. 1          | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2        | Serious eye damage/eye irritation, Category 2                     |
| Flam. Liq. 3        | Flammable liquids, Category 3                                     |
| H226                | Flammable liquid and vapour.                                      |
| H302                | Harmful if swallowed.   |
| H304                | May be fatal if swallowed and enters airways.                     |
| H315                | Causes skin irritation.   |
| H318                | Causes serious eye damage.  |

# MULTISOL EXTRA PLUS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

|               |   |
|---------------|---|
| H319          | Causes serious eye irritation.                        |
| H410          | Very toxic to aquatic life with long lasting effects. |
| H411          | Toxic to aquatic life with long lasting effects.      |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2                 |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                   |      |                       |
|-------------------|------|-----------------------|
| Flam. Liq. 3      | H226 | On basis of test data |
| Eye Irrit. 2      | H319 | Calculation method    |
| Asp. Tox. 1       | H304 | Calculation method    |
| Aquatic Chronic 2 | H411 | Calculation method    |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.