

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/03/2022 Revision date: 10/03/2022 Supersedes version of: 10/03/2022 Version: 0.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture
Product name : OMNICLEAN

UFI : R430-N4E0-0D9W-Y5MP
Type of product : Cleaning / stripper product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : SU3 Industrial uses: Uses of substances as such or in preparations\* at industrial

sites, SU22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

Industrial/Professional use spec : Industrial

For professional use only

Function or use category : PC35 Washing and cleaning products (including solvent based products), PROC7

Industrial spraying, PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities, PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities, ERC8d Wide dispersive outdoor use of processing aids in open systems, PROC10 Roller

application or brushing, PROC11 Non industrial spraying

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Rewah Nijverheidsweg 24 B-2240 Zandhoven Belgique-België

T +32 (0)3 4751414, F +32 (0)3 4751094

# 1.4. Emergency telephone number

Emergency number : +32 (0)70 245 245

Country/Area	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+ 32 (0)70 245 245	

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1 H314 Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye irritation.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Contains : disodium metasilicate

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective clothing, eye protection, face protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 - Wash contaminated clothing before reuse.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-methoxy-2-propanol; monopropylene glycol methyl ether substance with a Community workplace exposure limit	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	<10	Flam. Liq. 3, H226 STOT SE 3, H336
disodium metasilicate	CAS-No.: 6834-92-0 EC-No.: 229-912-9 EC Index-No.: 014-010-00-8 REACH-no: 01-2119449811- 37	< 3	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
Alcohols, C12-14, ethoxylated	CAS-No.: 68439-50-9	< 1,25	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Reaction products of 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-(C11-17 and C17 unsatd. alkyl) derivs. and sodium hydroxide and 2-propenoic acid	CAS-No.: 93820-52-1 EC-No.: 946-533-0 REACH-no: 01-2120750377- 50	< 0,225	Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Symptoms may include dizziness, headache, nausea and loss of co-ordination.

Symptoms/effects after skin contact : Red skin. Burns.

Symptoms/effects after eye contact : Serious damage to eyes. Eye irritation.

Symptoms/effects after ingestion : Burns.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder, Foam, Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Keep upwind. Avoid breathing dust, mist or spray. Avoid

contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

10/03/2022 (Revision date) EN (English) 3/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

# 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	1-Methoxypropanol-2	
IOEL TWA	375 mg/m³	
	100 ppm	
IOEL STEL	568 mg/m³	
	150 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Belgium - Occupational Exposure Limits		
Local name	1-Méthoxy-2-propanol	
OEL TWA	375 mg/m³	
	100 ppm	
OEL STEL	568 mg/m³	
	150 ppm	
Remark	D	
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020	
United Kingdom - Occupational Exposure Limits		
Local name	1-Methoxypropan-2-ol	
WEL TWA (OEL TWA)	375 mg/m³	
	100 ppm	
WEL STEL (OEL STEL)	560 mg/m³	
	150 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Good ventilation of the workplace required.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

The choice of the necessary personal protective equipment depends on the type to be carried out work and local conditions to be assessed by the employer. When in the In the context of an on-site risk assessment, it is established that there is no risk to

employees, personal protective equipment can be disregarded, respectively

adjusted accordingly. The following information regarding personal protective equipment is a recommendation.

## 8.2.2.1. Eye and face protection

#### Eye protection:

Wear tight fitting safety glasses.

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

## 8.2.2.2. Skin protection

### Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Cotton or cotton/synthetic overalls or coveralls are normally suitable. Tyvek® Gown/Coveralls

Skin and body protection	
Туре	Standard
Tyvek® Gown/Coveralls	EN 13034, EN 340

#### Hand protection:

In case of spray contact at least protection index 2 recommended, according to more than 30 min. penetration time (EN 374).

Layer thickness of gloves at least: 0.4 mm

In case of prolonged and intensive contact protection index 6 recommended, according to more than 480 min. penetration time (EN 374).

Layer thickness of gloves at least: 0.7 mm.

Type of material: PE: polyethylene, NBR: acrylonitrile-butadiene rubber, IIR: isobutene-isoprene (butyl) rubber.

Breakthrough times and swelling properties of the material must be taken into consideration.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hand protection	nd protection				
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber, Nitrile rubber (NBR), LLDPE, Neoprene rubber (HNBR)	2 (> 30 minutes)	> 0.38 mm		EN ISO 374
Reusable gloves	Butyl rubber, Nitrile rubber (NBR), LLDPE, Neoprene rubber (HNBR)	6 (> 480 minutes)	> 0.68 mm		EN ISO 374

### 8.2.2.3. Respiratory protection

### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Dust production: dust mask with filter type P2. In case of fumes or aerosols: wear a respirator half mask P2.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Do not flush into surface water or sewer system.

#### Other information:

Wash hands and face before break and at end of works. When using, do not eat, drink or smoke.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour Not available Odour Characteristic. Odour threshold Not available Melting point : Not applicable Freezing point : ≈0°C : ≈ 100 °C Boiling point : Not applicable Flammability Explosive properties : Not applicable. Oxidising properties : Not applicable. : 3 vol % Lower explosion limit Upper explosion limit : 12 vol % : Not applicable Flash point Auto-ignition temperature : Not available : Not available Decomposition temperature рН : 12,6

Viscosity, kinematic : 10000000 mm²/s
Viscosity, dynamic : 1 mPa·s
Solubility : Soluble in water.
Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : 2332 Pa
Vapour pressure at 50°C : Not available
Density : Not available

Relative density : 1

Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : 0,7 VOC content : 15 %

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

LC50 Inhalation - Rat (Vapours)

Strong acids.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Alcohols, C12-14, ethoxylated (68439-50-9)	ohols, C12-14, ethoxylated (68439-50-9)	
LD50 oral rat	500 mg/kg	
LD50 dermal rabbit	≥ 5000 nl/kg	
LC50 Inhalation - Rat	≥ 50 mg/l/4h	
Reaction products of 1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-(C11-17 and C17 unsatd. alkyl) derivs. and sodium hydroxide and 2-propenoic acid (93820-52-1)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	≥ 5000 mg/kg	
LC50 Inhalation - Rat	> 50 mg/l/4h	
disodium metasilicate (6834-92-0)		
LD50 oral rat	1152 mg/kg	
LD50 dermal rabbit	≥ 5000 mg/kg	
LC50 Inhalation - Rat (Vapours)	≥ 50 mg/l/4h	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
LD50 oral rat	4016 mg/kg	
LD50 dermal rabbit	2000 mg/kg	

≥ 50 mg/l/4h

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin corrosion/irritation : Causes severe skin burns.

pH: 12,6

pH 12

Serious eye damage/irritation : Assumed to cause serious eye damage

pH: 12,6

### disodium metasilicate (6834-92-0)

pH 12

 Respiratory or skin sensitisation
 : Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

 Reproductive toxicity
 : Not classified

 STOT-single exposure
 : Not classified

## disodium metasilicate (6834-92-0)

STOT-single exposure May cause respiratory irritation.

# 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

### **OMNICLEAN**

Viscosity, kinematic 1000000 mm²/s

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

disodium metasilicate (6834-92-0)	odium metasilicate (6834-92-0)	
LC50 - Fish [1]	210 mg/l	
EC50 - Crustacea [1]	1700 mg/l	
EC50 72h - Algae [1]	207 mg/l	
1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)		
1.050 5: 1.41	. 2040	

LC50 - Fish [1]	> 6812 mg/l Leuciscus idus (golden orfe)
EC50 - Crustacea [1]	> 23300 mg/l

### 12.2. Persistence and degradability

OMNICLEAN		
	Persistence and degradability	Ranidly degradable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.3. Bioaccumulative potential

## 1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2)

Partition coefficient n-octanol/water (Log Pow) 0,37

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods

 $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$ 

Product/Packaging disposal recommendations : Forbidden through garbage can or sewerage, follow the next guidelines: 75/442/EG & 91/689/EG . Dispose in a safe manner in accordance with local/national regulations. Take this material and its container to a collection point for old lacquers / paints / coatings. Liquid material: the specified waste code is a recommendation based on use see section 1.2. The

packaging can be cleaned with water and any cleaning product. The cleaned packaging can be reused or recycled.

European List of Waste (LoW, EC 2000/532)

: 08 01 21\* - waste paint or varnish remover

# **SECTION 14: Transport information**

In accordance with / ADR / IMDG / IATA

## 14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

## 14.4. Packing group

Packing group (ADR) : Not applicable

10/03/2022 (Revision date) EN (English) 9/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available

### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

## **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

## **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

## VOC Directive (2004/42)

VOC content : 15 %

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Does not contain a substance covered by Regulation (EC) No 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and placing on the market of certain substances used in the unlawful production of narcotic drugs and psychotropic substances.

### 15.1.2. National regulations

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1	H314	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.