

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Estetik Toplak Satin - Base TR  
Type of product : Water-based paint dispersion

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : SU3 Industrial uses: Uses of substances as such or in preparations\* at industrial sites, SU19 Building and construction work, SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Industrial/Professional use spec : Industrial  
For professional use only

Function or use category : PC9a Coatings and paints, thinners, paint removers, PROC7 Industrial spraying, PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities, PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities, PROC10 Roller application or brushing, PROC11 Non industrial spraying, ERC8a Wide dispersive indoor use of processing aids in open systems, ERC8c Wide dispersive indoor use resulting in inclusion into or onto a matrix, ERC8d Wide dispersive outdoor use of processing aids in open systems, ERC8f Wide dispersive outdoor use resulting in inclusion into or onto a matrix, ERC10a Wide dispersive outdoor use of long-life articles and materials with low release, ERC11a Wide dispersive indoor use of long-life articles and materials with low release

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Rewah  
Nijverheidsweg 24  
B-2240 Zandhoven  
Belgique-België  
T +32 (0)3 4751414

#### 1.4. Emergency telephone number

Emergency number : +32 (0)70 245 245

Country/Area	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+ 32 (0)70 245 245	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.  
EUH208 - Contains chloromethylisothiazolineon & methylisothiazolineon (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Other hazards which do not result in classification : The product does not meet the PBT and vPvB classification criteria.

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	CAS-No.: 6846-50-0 EC-No.: 229-934-9 REACH-no: 01-2119451093-47	0.3 < c < 3.0	Repr. 2, H361 Aquatic Chronic 3, H412
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	<0.036	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
chloromethylisothiazolineon & methylisothiazolineon (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	<0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0,036 $\leq$ C < 100) Skin Sens. 1, H317

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
chloromethylisothiazolineon & methylisothiazolineon (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0,0015 ≤ C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤ C < 0,6) Eye Irrit. 2, H319 (0,06 ≤ C < 0,6) Skin Irrit. 2, H315 (0,6 ≤ C ≤ 100) Eye Dam. 1, H318 (0,6 ≤ C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

Not required.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: None, to our knowledge.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: In dry state: combustible.
Explosion hazard	: Not applicable.
Reactivity in case of fire	: Not applicable.

### 5.3. Advice for firefighters

Precautionary measures fire	: Avoid (reject) fire-fighting water to enter environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: High temperature may liberate toxic gases.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection.
----------------------	--

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Avoid release to the environment. Restrict liquid from spreading over surface with floating screens if possible.

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Waste to eliminate according to chemical waste law.

### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store away from freezing (avoid freezing during storage). Keep only in the original container in a cool, well ventilated place away from : heat sources. Keep container closed when not in use.

Storage temperature : 5 – 30 °C

Storage area : Store away from freezing (avoid freezing during storage).

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Good ventilation of the workplace required.

#### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.1. Eye and face protection

#### Eye protection:

Wear security glasses which protect from splashes. ISO 16321-1

### 8.2.2.2. Skin protection

#### Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Tyvek® Gown/Coveralls

#### Hand protection:

Wear waterproof protective gloves EN ISO 374-1: 2016.

Before using nitrile gloves: put an example of the type of glove: nitrile glove, Viton glove, etc. General examples in the table below:

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)		> 0.11 mm		
Reusable gloves	Nitrile rubber (NBR)		> 0.38 mm		

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. In case of fumes or aerosols: wear a respirator half mask P2. During spraying wear suitable respiratory equipment: . Mask P2 in case an airless machine is used.

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not flush into surface water or sewer system.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Color according to color choice.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: ≈ 0 °C
Freezing point	: ≈ 0 °C
Boiling point	: ≈ 100 °C
Flammability	: Non flammable.
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not applicable.
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 7 – 9
Viscosity, kinematic	: ≈ 19230,769 mm²/s
Viscosity, dynamic	: ≈ 25000 mPa·s
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not applicable.
Vapour pressure at 50°C	: Not available
Density	: Not available

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density : Not available  
Relative vapour density at 20°C : Not available  
Particle characteristics : Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Miscibility : > g/100ml  
VOC content : < 130 g/l EU limit value for this product (catA/d): 130 g/l (2010).

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Not applicable.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other toxic gases.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

chloromethylisothiazolineon & methylisothiazolineon (3:1) (55965-84-9)	
LD50 oral rat	457 mg/kg
LD50 dermal rabbit	660 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	2,36 mg/l/4h
1,2-benzisothiazol-3(2H)-one (2634-33-5)	
LD50 oral rat	1193 ml/kg
LD50 dermal rat	4115 mg/kg
LC50 Inhalation - Rat	0,21 mg/l
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate (6846-50-0)	
LD50 oral rat	≥ 2000 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate (6846-50-0)

LC50 Inhalation - Rat (Dust/Mist)	> 5,3 mg/l/4h
Skin corrosion/irritation	: Not classified pH: 7 – 9
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified pH: 7 – 9
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

### Estetik Toplak Satin - Base TR

Viscosity, kinematic	≈ 19230,769 mm²/s
----------------------	-------------------

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : In water, material soluble.  
Ecology - water : Harmful to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

### chloromethylisothiazolineon & methylisothiazolineon (3:1) (55965-84-9)

LC50 - Fish [1]	0,22 mg/l
EC50 - Crustacea [1]	0,1 mg/l
EC50 - Other aquatic organisms [1]	0,126 mg/l daphnia
EC50 72h - Algae [1]	0,048 mg/l
ErC50 algae	0,048 mg/l
NOEC chronic fish	0,098 mg/l
NOEC chronic crustacea	0,004 mg/l
NOEC chronic algae	0,0012 mg/l

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

LC50 - Fish [1]	1,6 mg/l
LC50 - Other aquatic organisms [1]	2,94 mg/l
EC50 - Crustacea [1]	2,94 mg/l
EC50 72h - Algae [1]	0,11 mg/l
ErC50 algae	0,11 mg/l
NOEC (acute)	0,027 mg/l
NOEC (chronic)	0,15 mg/l
NOEC chronic algae	0,055 mg/l

### 12.2. Persistence and degradability

#### Estetik Toplak Satin - Base TR

Persistence and degradability	Not readily biodegradable (according OECD-criteria).
-------------------------------	--

### 12.3. Bioaccumulative potential

#### Estetik Toplak Satin - Base TR

Bioaccumulative potential	There is no bioaccumulation.
---------------------------	------------------------------

#### chloromethylisothiazolineon & methylisothiazolineon (3:1) (55965-84-9)

Bioconcentration factor (BCF REACH)	3,6
Partition coefficient n-octanol/water (Log Pow)	-0,71 – 0,75

#### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

Bioconcentration factor (BCF REACH)	6,95
Partition coefficient n-octanol/water (Log Pow)	0,7

### 12.4. Mobility in soil

#### Estetik Toplak Satin - Base TR

Ecology - soil	None known.
----------------	-------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Forbidden through garbage can or sewerage, follow the next guidelines: 75/442/EG & 91/689/EG .

Ecological information : Avoid release to the environment.



# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information

In accordance with ADR / IATA

#### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable  
UN-No. (IATA) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IATA) : Not applicable

#### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IATA) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available

#### 14.6. Special precautions for user

**Overland transport**  
Not applicable

**Air transport**  
Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### VOC Directive (2004/42)

VOC content : < 130 g/l EU limit value for this product (catA/d): 130 g/l (2010).

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Does not contain a substance covered by Regulation (EC) No 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and placing on the market of certain substances used in the unlawful production of narcotic drugs and psychotropic substances .

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
8.2			

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains chloromethylisothiazolineon & methylisothiazolineon (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.

# Estetik Toplak Satin - Base TR

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.