

**A ready to use insect-, mold- and termite killing micro emulsion****Application**

- For the preventive treatment of healthy wood (lumber such as truss, wooden framework) and for the curative treatment of affected wood against insects and mould
- Including dry rot (*Serpula lacrymans*)

**Properties**

- Ready to use.
- Insect-, mould, and termite killing.
- Preventive and curative treatment.
- After the treatment, risk classification 1 and 2 according standards EN 335-1 and EN 335-2 are covered, as well as risk classification standard 3-A is covered (wood outdoors, no ground contact, resinous and hard wood).
- The product received good references from the experts commission for commercialisation of the product, on a base of toxicological and ecotoxicological dossiers.
- Suitable for use both indoors and outdoors.
- Once it has dried completely, the treated wood can be further processed with paint, varnish and wood stains.

**Directions****Preparation****Damaged by insects**

- Open up the insect galleries by thoroughly cutting, brushing with a steel brush and scour with sandpaper.
- Remove damaged parts to leave only healthy wood.
- Dedusting the wood with care.
- Work under clean conditions.

**Damaged by fungus**

- Remove all causes of damp.
- Remove all fungus treads and fruiting bodies. Burn out the fungus in stone walls, scrape and brush out the fungus in wood with a steel brush.

**Work method****Preventive treatment**

- Smear or pour liberally on all sides of the dry and dust-free wood.
- When treating a lot of sapwood, it is necessary to execute the treatment two times.
- It is also possible to spray under low pressure or to immerse minimum 15 minutes.

**Curative treatment**

- Injection into previously drilled holes 6 to 12 mm in diameter, holes in stretching bond at intervals of 25 to 30 cm.
- Afterwards smear or pour liberally on all sides of the dry, dust-free wood.

**Important remarks**

- The tools can be cleaned immediately after use with water.

**Technical characteristics**

|                    |                                                           |
|--------------------|-----------------------------------------------------------|
| Form               | yellow liquid                                             |
| Density            | +/- 1,0                                                   |
| pH                 | 6,1 - 6,7                                                 |
| Active ingredients | iodocarbamate, propiconazole, tebuconazole, cypermethrine |

**Reports**

- Authorisation by Min. of Public Health and the Environment: n° 496 B

**Quantity to use****Preventive treatment**

|                   |                            |
|-------------------|----------------------------|
| Smearing, pouring | 0,1 – 0,2 L/m <sup>2</sup> |
| Soaking           | 20 – 25 L/m <sup>3</sup>   |

**Curative treatment against insects**

|                          |                          |
|--------------------------|--------------------------|
| Smearing, pouring        | +/- 0,3 L/m <sup>2</sup> |
| Injection under pressure | +/- 0,8 L/m <sup>2</sup> |

**Curative treatment against fungi**

|                          |                                              |
|--------------------------|----------------------------------------------|
| Smearing, pouring        | +/- 0,5 L/m <sup>2</sup> apply several coats |
| Injection under pressure | +/- 1,5 L/m <sup>2</sup>                     |

**Packaging**

1 L, 5 L, 25 L

**Safety information – Transport – Handling and storage - Waste**

Consult the most recent and product-related safety information sheet from Rewah in compliance with the (EU) 453/2010 annex II/A guidelines. The information on the abovementioned safety information sheet has been drawn up with the greatest care and is based on the knowledge available at the date of issue. We accept no liability for damage or hindrance of any kind which could be caused by the use of the product concerned.

**Transport and storage**

Transport and store away from frost. Protect the product and its packaging against direct sunlight. Avoid storage at temperatures >30°C.

**Storage life**

1 year after manufacturing in the original closed packaging.

**Considerations**

The data included in this sheet, the application advices and other recommendations are based on extensive research and experience. They are however not binding also in relation to third party liability. They do not protect the customer against checking the products and directions for their suitability for the purpose. The characteristics and properties described are average values and analyses registered at 20°C, variances are tolerated. Our customer service will gladly answer your questions. The rewrite of this sheet replaces all previous sheets.